


Calibre No. 6139A	Jewels 21j	Style Name
⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1		



Cal. 6139A

Characteristics

- Casing diameter: 27.00 ϕ mm
- Maximum height: 6.65 mm
- Vibrations per hour: 21,600
- Automatic winding with sweep second Chronograph
- Calendar (day & date)
- Instant setting device for day & date calendar
- Bilingual change-over system for day of week
- "Diashock" Shock Resistant Device
- "Diafix" Oil Lubrication Device



022250	022269	022458	022459	022493	022494	022675	022761

☆⇒Please see remarks on the next page.
 As for all other parts not shown here, please refer to the basic calibre (Cal. No. 6106A 25J Catalog No. 61-06-1 Green page).

Calibre No.		Jewels	Style Name	
6139A		21j		
⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1				
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
112523	Barrel & train-wheel bridge	576610	Pillar wheel	
122613	Center wheel bridge	577610	Pillar wheel ring	
161805	Pallet cock	578610	Pillar wheel jumper	
171523	Balance cock	585610	Hammer	
190610	Chronograph bridge	586610	Hammer spring	
193530	Framework for automatic device with ball-bearing	587610	Fly-back lever	
205613	Complete barrel with arbor	781610	Hammer click	
213612	Barrel arbor	783610	Minute recording jumper	
224611	Center wheel & pinion with cannon pinion	784610	First coupling lever	
225611	Cannon pinion	785610	Second coupling lever	
231618	Third wheel & pinion	786610	Chronograph finger	
251619	Escape wheel & pinion	787610	Rest of chronograph finger	
261611	Minute wheel	886610	Intermediate minute recording wheel	
271611	Hour wheel	888610	Center chronograph wheel	
281611	Setting wheel	902610	Minute recording wheel	
282611	Clutch wheel	022150	Stud screw	
285614	Ratchet wheel	022250	Screw for minute recording jumper	
301611	Jewelled pallet fork & staff	022257	Date corrector spring	
310611	Balance complete with stud	022269	Minute wheel bridge screw (Cheese-head screw)	
315611	Balance staff	022351	Center wheel bridge screw	
331610	Roller with jewel	022458	Screw for oscillating weight	
341612	Regulator	022459	Framework screw for automatic device with ball-bearing	
345612	Stud holder	022467	Ratchet wheel screw	
☆354615	Winding stem	022468	Pallet cock screw	
☆357612		022471	Click screw	
381611	Click	022493	Bridge screw	
383614	Setting lever with axle	022493	Chronograph bridge screw	
384611	Yoke (Clutch lever)	022494	Pillar wheel screw	
387613	Minute wheel bridge	022494	First coupling lever screw	
388611	Setting lever spring	022662	Setting lever spring screw	
401616	Mainspring with slipping attachment	022675	Holding screw for coupling levers	
☆998613	Indicator wheel	022677	Screw for day & date driving wheel	
☆999613	Indicator wheel spring	022760	Minute wheel bridge screw (Chamfer-head screw)	
014363	Diashock upper frame	022760	Date dial guard screw	
014364	Diashock lower frame	022761	Dial screw	
014365	Diashock hole jewel with frame	011167	Upper hole jewel for center wheel	
011210	Diashock cap jewel	011146	Lower hole jewel for center wheel	
014317	Diashock spring	011306	Upper hole jewel for 3rd wheel	
015411	Diafix lower hole jewel with frame for escape wheel	011306	Lower hole jewel for 3rd wheel	
011206	Diafix cap jewel	011406	Upper hole jewel for escape wheel	
015113	Diafix spring	011503	Upper hole jewel for pallet	
500521	Oscillating weight	011503	Lower hole jewel for pallet	
505612	Transmission wheel	011147	Upper hole jewel for transmission wheel	
823619	Eccentric post	011147	Lower hole jewel for transmission wheel	
831611	Pawl lever with jewel	011424	Upper hole jewel for center chronograph wheel	
838611	Pawl lever seat	011544	Lower hole jewel for minute recording wheel	
556611	Date finger	023150	Tube for pallet cock screw (Cylinder type)	
☆801618	Date dial	023150	Tube for balance cock screw	
802611	Date driving wheel	023151	Tube for bridge screw (Cylinder type)	
808611	Date dial guard	023170	Tube for pallet cock screw (Recessed type)	
810611	Date jumper	023178	Tube for bridge screw (Recessed type)	
817610	Intermediate date wheel	023186	Tube for 1st coupling lever screw	
868611	Day finger	023189	Tube for framework screw of automatic device	
☆870529	Day star with dial disk	023190	Tube for chronograph bridge screw	
880611	Date corrector	023417	Date corrector pin	
883610	Date corrector spring	023443	Operating lever pin	
☆884611	Holding ring for dial	023443	Fly-back lever pin	
963610	Snap for day star with dial disk	023444	Hammer click pin	
972610	Day-date corrector finger	023446	Intermediate minute recording wheel pin	
571610	Operating lever	023990	Pillar wheel jumper pin	
575610	Operating lever spring			

☆⇒Please see remarks on the next page.

Items in light letters are not shown in photos; those parts are interchangeable with the basic calibre

(Cal. No. **6106A** 25J Catalog No. 61-06-1 Green page).

Calibre No.

6139A

Jewels

21j

Style Name

⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1

Remarks :

Winding stem, Indicator wheel, Indicator wheel spring

☆354615.....Used for other than models with rotating dial ring.

☆357612	}Used only for models with rotating dial ring.
☆998613		
☆999613		

If the shapes of these three parts are different from the above items, specify ① Cal. No. and ② the case No.

Date dial

☆801618 (White figures on black background)Used when both the crown and the date frame are located at **3** o'clock.

If the date dial is required in any other type, specify ① Cal. No. ② the crown position ③ the date frame position and ④ the dial No.

Day star with dial disk

☆870529 (English ↔ Japanese)Used when both the crown and the day frame are located at **3** o'clock.

When ordering any other type of the day star with dial disks, clearly mention the number printed on the disk. If the number is unknown, specify ① Cal. No. ② the crown position ③ the day frame position ④ the dial No. and ⑤ the national language.


Holding ring for dial ————— Measure the total thickness and the outside diameter. —————

☆884611.....1.82 mm total thickness and 29.1 ϕ mm outside diameter.

If the holding ring for dial is required in any other type, specify ① Cal. No. and ② the dial No.

Calibre No. 6139A	Jewels 17j	Style Name (Automatic Chronograph)
---	--	--


⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1



Cal. 6139A

Characteristics

- Casing diameter : 27.00 ϕ mm
- Maximum height : 6.65 mm
- Vibrations per hour : 21,600
- Automatic winding with sweep second
- Chronograph (w/30 minutes recorder)
- Calendar (day & date)
- Instant setting device for day & date calendar
- Bilingual change-over system for day of week
- "Diashock" Shock Resistant Device



112525



122618



171522



401616



231618



251612



341612



345612



285614



383614



387613



☆ 357612



☆ 998613



☆ 999613



193532



500521



505612



823619



838611



556611



808611



☆ 801618



802611



810611



868611



880611



972610



190610



571610



☆ 870538



575610



576610



577610



578610



585610



586610



587610



781610



783610



784610



785610



886610



888610



786610



787610



902610

022250	022269	022458	022459	022493	022494	022675	022761

3/4

☆ ⇒ Please see remarks on the next page.

As for all other parts not shown here, please refer to the basic calibre (Cal. No. 6106A 25J Catalog No. 61-06-1 Green page).

Calibre No.		Jewels	Style Name	
6139A		17j	(Automatic Chronograph)	
⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1				
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
112525	Barrel & train-wheel bridge	586610	Hammer spring	
122618	Center wheel bridge	587610	Fly-back lever	
161805	Pallet cock	781610	Hammer click	
171522	Balance cock	783610	Minute recording jumper	
190610	Chronograph bridge	784610	First coupling lever	
193532	Framework for automatic device with ball-bearing	785610	Second coupling lever	
205613	Complete barrel with arbor	786610	Chronograph finger	
213612	Barrel arbor	787610	Rest of chronograph finger	
224611	Center wheel & pinion with cannon pinion	886610	Intermediate minute recording wheel	
225611	Cannon pinion	888610	Center chronograph wheel	
231618	Third wheel & pinion	902610	Minute recording wheel	
251612	Escape wheel & pinion	022150	Stud screw	
261611	Minute wheel	022250	Screw for minute recording jumper	
271611	Hour wheel	022257	Date corrector spring screw	
281611	Setting wheel	022269	Minute wheel bridge screw (Cheese-head screw)	
282611	Clutch wheel	022351	Center wheel bridge screw	
285614	Ratchet wheel	022458	Screw for oscillating weight	
301611	Jewelled pallet fork & staff	022459	Framework screw for automatic device with ball-bearing	
310611	Balance complete with stud	022467	Ratchet wheel screw	
315611	Balance staff	022468	Pallet cock screw	
331610	Roller with jewel	022471	Click screw	
341612	Regulator	022493	Bridge screw	
345612	Stud holder	022493	Chronograph bridge screw	
☆354615 }	Winding stem	022494	Pillar wheel screw	
☆357612 }		022494	First coupling lever screw	
381611	Click	022662	Setting lever spring screw	
383614	Setting lever with axle	022675	Holding screw for coupling levers	
384611	Yoke (Clutch lever)	022677	Screw for day & date driving wheel	
387613	Minute wheel bridge	022760	Minute wheel bridge screw (Chamfer-head screw)	
388611	Setting lever spring	022760	Date dial guard screw	
401616	Mainspring with slipping attachment	022761	Dial screw	
☆998613	Indicator wheel	011167	Upper hole jewel for center wheel	
☆999613	Indicator wheel spring	011146	Lower hole jewel for center wheel	
014363	Diashock upper frame	011306	Lower hole jewel for 3rd wheel	
014364	Diashock lower frame	011406	Upper hole jewel for escape wheel	
014365	Diashock hole jewel with frame	011406	Lower hole jewel for escape wheel	
011210	Diashock cap jewel	011503	Upper hole jewel for pallet	
014317	Diashock spring	011503	Lower hole jewel for pallet	
500521	Oscillating weight	011147	Lower hole jewel for transmission wheel	
505612	Transmission wheel	011424	Upper hole jewel for center chronograph wheel	
823619	Eccentric post	023150	Tube for pallet cock screw (Cylinder type)	
831611	Pawl lever with jewel	023150	Tube for balance cock screw	
838611	Pawl lever seat	023151	Tube for bridge screw (Cylinder type)	
556611	Date finger	023170	Tube for pallet cock screw (Recessed type)	
☆801618	Date dial	023178	Tube for bridge screw (Recessed type)	
802611	Date driving wheel	023186	Tube for 1st coupling lever screw	
808611	Date dial guard	023189	Tube for framework screw of automatic device	
810611	Date jumper	023190	Tube for chronograph bridge screw	
817610	Intermediate date wheel	023417	Date corrector pin	
868611	Day finger	023443	Operating lever pin	
☆870538	Day star with dial disk	023443	Fly-back lever pin	
880611	Date corrector	023444	Hammer click pin	
883610	Date corrector spring	023446	Intermediate minute recording wheel pin	
☆884611	Holding ring for dial	023990	Pillar wheel jumper pin	
963610	Snap for day star with dial disk			
972610	Day-date corrector finger			
571610	Operating lever			
575610	Operating lever spring			
576610	Pillar wheel			
577610	Pillar wheel ring			
578610	Pillar wheel jumper			
585610	Hammer			

☆⇒Please see remarks on the next page.

Items in light letters are not shown in italics; these parts are interchangeable with the basic calibre.

Calibre No.

6139A

Jewels

17j

Style Name

(Automatic Chronograph)

⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1

Remarks:

Winding stem, Indicator wheel, Indicator wheel spring

☆354615.....Used for other than models with rotating dial ring.

☆357612	}Used only for models with rotating dial ring.
☆998613		
☆999613		

If the shapes of these three parts are different from the above items, specify ① Cal. No. and ② the case No.

Date dial

☆801618 (White figures on black background)Used when both the crown and the date frame are located at **3** o'clock.

If the date dial is required in any other type, specify ① Cal. No. ② the crown position ③ the date frame position and ④ the dial No.

Day star with dial disk

☆870538 (English ↔ Spanish)Used when both the crown and the day frame are located at **3** o'clock.

When ordering any other type of the day star with dial disks, clearly mention the number printed on the disk. If the number is unknown, specify ① Cal. No. ② the crown position ③ the day frame position ④ the dial No. and ⑤ the national language.


Holding ring for dial ————— Measure the total thickness and the outside diameter —————

☆884611.....1.82 mm total thickness and 29.1^ømm outside diameter.

If the holding ring for dial is required in any other type, specify ① Cal. No. and ② the dial No.

Calibre No. 6139B	Jewels 17j	Style Name (Automatic Chronograph)
---	--	--

⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1



Cal. 6139B



Characteristics

- Casing diameter : 27.00 ϕ mm
- Maximum height : 7.10 mm
- Vibrations per hour : 21,600
- Automatic winding with sweep second
- Chronograph (30minutes recorder)
- Calendar (day & date)
- Instant setting device for day & date calendar
- Bilingual change-over system for day of week
- "Diashock" Shock Resistant Device

 112533	 122618	 171522	 401616	 231618	 251612	 341612	 345612	
 285614	 387613	 ☆ 354617	 ☆ 357612	 ☆ 998613	 ☆ 999613	 193463		
 500521	 505613	 823619	 838611	 556611	 808611	 ☆ 801618		
 802611	 810611	 868611	 880611	 972610	 190612	 571611	 ☆ 870538	
 575610	 576610	 577610	 578610	 585610	 586611	 587612	 705612	 781610
 783612	 784612	 785612	 786610	 787610	 885612	 888612	 893612	 902612

 022269	 022282	 022458	 022459	 022493	 022494	 022684	 022761
------------	------------	------------	------------	------------	------------	------------	------------

2/1

(71-9)

☆⇒ Please see remarks on the next page.
 As for all other parts not shown here, please refer to the basic calibre
 (Cal. No. **6106A** 25J Catalog No. 61-06-1 Green page).

Calibre No.		Jewels	Style Name	
6139B		17j	(Automatic Chronograph)	
⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1				
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
112533	Barrel & train-wheel bridge (with operating lever, pillar wheel jumper & fly-back lever)	578610	Pillar wheel jumper	
122618	Center wheel bridge	585610	Hammer	
161805	Pallet cock	586611	Hammer spring	
171522	Balance cock	587612	Fly-back lever	
190612	Chronograph bridge (with hammer click)	705612	Minute recording jumper washer	
193463	Framework for automatic device with ball-bearing	781610	Hammer click	
205613	Complete barrel with arbor	783612	Minute recording jumper	
213612	Barrel arbor	784612	First coupling lever	
224611	Center wheel & pinion with cannon pinion	785612	Second coupling lever	
225611	Cannon pinion	786610	Chronograph finger	
231618	Third wheel & pinion	787610	Rest of chronograph finger	
251612	Escape wheel & pinion	885612	Intermediate minute recording wheel	
261611	Minute wheel	888612	Center chronograph wheel	
271611	Hour wheel	893612	Intermediate minute recording wheel holder	
281611	Setting wheel	902612	Minute recording wheel	
282611	Clutch wheel	022150	Stud screw	
285614	Ratchet wheel	022252	Holder screw for intermediate minute recording wheel	
301611	Jewelled pallet fork & staff	022257	Date corrector spring screw	
310611	Balance complete with stud	022269	Minute wheel bridge screw (Cheese-head screw)	
315611	Balance staff	022282	Screw for minute recording jumper	
331610	Roller with jewel	022351	Center wheel bridge screw	
341612	Regulator	022458	Screw for oscillating weight	
345612	Stud holder	022459	Framework screw for automatic device with ball-bearing	
☆ 354617	Winding stem	022467	Ratchet wheel screw	
☆ 357612		022468	Pallet cock screw	
381611	Click	022471	Click screw	
383611	Setting lever with axle	022493	Bridge screw	
384611	Yoke (Clutch lever)	022493	Chronograph bridge screw	
387613	Minute wheel bridge	022494	Pillar wheel screw	
388611	Setting lever spring	022494	First coupling lever screw	
401616	Mainspring with slipping attachment	022662	Setting lever spring screw	
☆ 998613	Indicator wheel	022677	Date driving wheel screw	
☆ 999613	Indicator wheel spring	022684	Holding screw for coupling levers	
014363	Diashock upper frame	022760	Minute wheel bridge screw (Chamfer-head screw)	
014364	Diashock lower frame	022760	Date dial guard screw	
014365	Diashock hole jewel with frame	022761	Dial screw	
011210	Diashock cap jewel	011167	Upper hole jewel for center wheel	
014317	Diashock spring	011146	Lower hole jewel for center wheel	
500521	Oscillating weight	011306	Lower hole jewel for 3rd wheel	
505613	Transmission wheel	011406	Upper hole jewel for escape wheel	
823619	Eccentric post	011406	Lower hole jewel for escape wheel	
831611	Pawl lever with jewel	011503	Upper hole jewel for pallet	
838611	Pawl lever seat	011503	Lower hole jewel for pallet	
556611	Date finger	011147	Lower hole jewel for transmission wheel	
☆ 801618	Date dial	011424	Upper hole jewel for center chronograph wheel	
802611	Date driving wheel	023100	Tube for bridge screw (short)	
808611	Date dial guard	023108	Tube for 1st coupling lever screw	
810611	Date jumper	023109	Tube for bridge screw (long)	
817610	Intermediate date wheel	023110	Tube for chronograph bridge screw	
868611	Day finger	023148	Tube for holder screw of intermediate minute recording wheel	
☆ 870538	Day star with dial disk (English ↔ Spanish)	023150	Tube for pallet cock screw (Cylinder type)	
880611	Date corrector	023150	Tube for balance cock screw	
883610	Date corrector spring			
☆ 884611	Holding ring for dial			
963610	Snap for day star with dial disk			
972610	Day-date corrector finger			
571611	Operating lever			
575610	Operating lever spring			
576610	Pillar wheel			
577610	Pillar wheel ring			

—continued on next page—

☆⇒ Please see remarks on the next page.

Items in light letters are not shown in photos; those parts are interchangeable with the basic calibre

(Cal. No. 6106A 25J Catalog No. 61-06-1 Green page).

Calibre No. 6139B		Jewels 17j	Style Name (Automatic Chronograph)	
⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1				
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
	—continued—			
023170	Tube for pallet cock screw (Recessed type)	023868	Operating lever pin	
023189	Tube for framework screw of automatic device	023990	Pillar wheel jumper pin	
023417	Date corrector pin			
023443	Fly-back lever pin			
023444	Hammer click pin			

Remarks :

Winding stem, Indicator wheel, Indicator wheel spring

☆ 354617..... Used for other than models with rotating dial ring.

☆ 357612 }
 ☆ 998613 } Used only for models with rotating dial ring.
 ☆ 999613 }

If the shapes of these three parts are different from the above items, specify ① Cal. No. and ② the case No.

Date dial

☆ 801618(White figures on black background)..... Used when both the crown and the date frame are located at **3** o'clock.

If the date dial is required in any other type, specify ① Cal. No. ② the crown position ③ the date frame position and ④ the dial No.

Day star with dial disk

☆ 870538(English ↔ Spanish)..... Used when both the crown and the day frame are located at **3** o'clock.


When ordering any other type of the day star with dial disks, clearly mention the number printed on the disk. If the number is unknown, specify ① Cal. No. ② the crown position ③ the day frame position ④ the dial No. and ⑤ the national language.

Holding ring for dial _____ Measure the total thickness and the outside diameter. _____

☆ 884611..... 1.82mm total thickness and 29.1 ϕ mm outside diameter.

If the holding ring for dial is required in any other type, specify ① Cal. No. and ② the dial No.

Calibre No.	6139B	Jewels	21j	Style Name
⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1				




Cal. 6139B



Characteristics

- Casing diameter : 27.00 ϕ mm
- Maximum height : 7.10 mm
- Vibrations per hour : 21,600
- Automatic winding with sweep second
- Chronograph (30 minutes recorder)
- Calendar (day & date)
- Instant setting device for day & date calendar
- Bilingual change-over system for day of week
- "Diashock" Shock Resistant Device
- "Diafix" Oil Lubrication Device



112532



122613



171522



401616



231618



251619



341612



345612



285614



387613



015411



011206



015113



☆ 354617



☆ 357612



☆ 998613



☆ 999613



193461



500521



505613




823619



838611



556611



☆ 801618



802611



808611



810611




868611



880611



972610



190612



☆ 870529



571611



575610



576610



577610



578610



585610



586611



587612



705612



781610



783612



784612



785612



786610



787610



885612



888612



893612



902612



022269



022282



022458



022459



022493



022494



022684



022761

☆⇒ Please see remarks on the next page.

As for all other parts not shown here, please refer to the basic calibre

(Cal. No. 6106A 25J Catalog No. 61-06-1 Green page).

Calibre No.		Jewels	Style Name	
6139B		21j		
⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1				
PART NO.	LIST OF MATERIALS	PART NO.	LIST OF MATERIALS	
112532	Barrel & train-wheel bridge (with operating lever, pillar wheel jumper & fly-back lever)	571611	Operating lever	
122613	Center wheel bridge	575610	Operating lever spring	
161805	Pallet cock	576610	Pillar wheel	
171522	Balance cock	577610	Pillar wheel ring	
190612	Chronograph bridge (with hammer click)	578610	Pillar wheel jumper	
193461	Framework for automatic device with ball-bearing	585610	Hammer	
205613	Complete barrel with arbor	586611	Hammer spring	
213612	Barrel arbor	587612	Fly-back lever	
224611	Center wheel & pinion with cannon pinion	705612	Minute recording jumper washer	
225611	Cannon pinion	781610	Hammer click	
231618	Third wheel & pinion	783612	Minute recording jumper	
251619	Escape wheel & pinion	784612	First coupling lever	
261611	Minute wheel	785612	Second coupling lever	
271611	Hour wheel	786610	Chronograph finger	
281611	Setting wheel	787610	Rest of chronograph finger	
282611	Clutch wheel	885612	Intermediate minute recording wheel	
285614	Ratchet wheel	888612	Center chronograph wheel	
301611	Jewelled pallet fork & staff	893612	Intermediate minute recording wheel holder	
310611	Balance complete with stud	902612	Minute recording wheel	
315611	Balance staff	022150	Stud screw	
331610	Roller with jewel	022252	Holder screw for intermediate minute recording wheel	
341612	Regulator	022257	Date corrector spring screw	
345612	Stud holder	022269	Minute wheel bridge screw (Cheese-head screw)	
☆ 354617	Winding stem	022282	Screw for minute recording jumper	
☆ 357612		022351	Center wheel bridge screw	
381611	Click	022458	Screw for oscillating weight	
383611	Setting lever with axle	022459	Framework screw for automatic device with ball-bearing	
384611	Yoke (Clutch lever)	022467	Ratchet wheel screw	
387613	Minute wheel bridge	022468	Pallet cock screw	
388611	Setting lever spring	022471	Click screw	
401616	Mainspring with slipping attachment	022493	Bridge screw	
☆ 998613	Indicator wheel	022493	Chronograph bridge screw	
☆ 999613	Indicator wheel spring	022494	Pillar wheel screw	
014363	Diashock upper frame	022494	First coupling lever screw	
014364	Diashock lower frame	022662	Setting lever spring screw	
014365	Diashock hole jewel with frame	022677	Date driving wheel screw	
011210	Diashock cap jewel	022684	Holding screw for coupling levers	
014317	Diashock spring	022760	Minute wheel bridge screw (Chamfer-head screw)	
015411	Diafix lower hole jewel with frame for escape wheel	022760	Date dial guard screw	
011206	Diafix cap jewel	022761	Dial screw	
015113	Diafix spring	011167	Upper hole jewel for center wheel	
500521	Oscillating weight	011146	Lower hole jewel for center wheel	
505613	Transmission wheel	011306	Upper hole jewel for 3rd wheel	
823619	Eccentric post	011306	Lower hole jewel for 3rd wheel	
831611	Pawl lever with jewel	011406	Upper hole jewel for escape wheel	
838611	Pawl lever seat	011503	Upper hole jewel for pallet	
556611	Date finger	011503	Lower hole jewel for pallet	
☆ 801618	Date dial	011147	Upper hole jewel for transmission wheel	
802611	Date driving wheel	011147	Lower hole jewel for transmission wheel	
808611	Date dial guard	011424	Upper hole jewel for center chronograph wheel	
810611	Date jumper	011544	Lower hole jewel for minute recording wheel	
817610	Intermediate date wheel			
868611	Day finger			
☆ 870529	Day star with dial disk (English ↔ Japanese)			
880611	Date corrector			
883610	Date corrector spring			
☆ 884611	Holding ring for dial			
963610	Snap for day star with dial disk			
972610	Day-date corrector finger			

— continued on next page —

☆⇒ Please see remarks on the next page.

Items in light letters are not shown in photos; those parts are interchangeable with the basic calibre

(Cal. No. **6106A** 25J Catalog No. 61-06-1 Green page).

Calibre No. 6139B		Jewels 21j	Style Name	
⇒ Basic Calibre 6106A 25J Catalog No. 61-06-1				
PART NO.	LIST OF MATERIALS		PART NO.	LIST OF MATERIALS
	—continued—			
023100	Tube for bridge screw (short)		023170	Tube for pallet cock screw (Recessed type)
023108	Tube for 1st coupling lever screw		023189	Tube for framework screw of automatic device
023109	Tube for bridge screw (long)		023417	Date corrector pin
023110	Tube for chronograph bridge screw		023443	Fly-back lever pin
023148	Tube for holder screw of intermediate minute recording wheel		023444	Hammer click pin
023150	Tube for pallet cock screw (Cylinder type)		023868	Operating lever pin
023150	Tube for balance cock screw		023990	Pillar wheel jumper pin

Remarks :

Winding stem, Indicator wheel, Indicator wheel spring

☆ 354617.....Used for other than models with rotating dial ring.

☆ 357612 }
 ☆ 998613 }Used only for models with rotating dial ring.
 ☆ 999613 }

If the shapes of these three parts are different from the above items, specify ① Cal. No. and ② the case No.

Date dial

☆ 801618 (White figures on black background) Used when both the crown and the date frame are located at **3** o'clock.

If the date dial is required in any other type, specify ① Cal. No. ② the crown position ③ the date frame position and ④ the dial No.

Day star with dial disk

☆ 870529 (English ↔ Japanese) Used when both the crown and the day frame are located at **3** o'clock.

When ordering any other type of the day star with dial disks, clearly mention the number printed on the disk. If the number is unknown, specify ① Cal. No. ② the crown position ③ the day frame position ④ the dial No. and ⑤ the national language.

Holding ring for dial ———— Measure the total thickness and the outside diameter ————

☆ 884611 1.82mm total thickness and 29.1 ϕ mm outside diameter.

If the holding ring for dial is required in any other type, specify ① Cal. No. and ② the dial No.